Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3923	709/206-207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:11
L2	5139	726/3-6.ccls. or 726/21-30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:12
L3	161	380/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:13
L4	9133	1 or 2 or 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:13
L5	2732	(authenticat\$3 with message\$1). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:14
L6	87	4 and (authenticat\$3 with message\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 12:14
S1	2	09/991,201	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 14:49
S3	5	09/626,577	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 14:56

			•	•		
S4	2	"6314454".pn. or "6343313".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/16 14:57
S5	972	(message\$1) with ((first or second or different) adj (route\$1 or path\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 14:54
S6	50	((transmit\$3 or send\$3) adj (message\$1)) with ((first or second or different) adj (route\$1 or path\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 14:56
S7	13381	((electronic adj mail\$1) or (E\$1mail)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 14:57
S8	26	S7 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 16:37
S9	122	S7 and (identit\$3 and integrit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 16:39
S10	14	S7 and (identit\$3 and CRC)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 16:40
S11		barkan.in. and mordhai.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 17:51
S12	13381	((electronic adj mail\$1) or (E\$1mail)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 19:35
S13 .	106	S12 and (archiv\$3 near3 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 19:39

	-			-		
S14	8	S12 and (request\$3 with (archiv\$3 near3 message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/17 19:39
S15	13381	((electronic adj mail\$1) or (E\$1mail)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 11:02
S16	47	S15 and (attachment\$1 with (hash or signature\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/18 11:03
S17	0	email with notification\$1 with sender with (copy near2 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 16:03
S18	10931	email same notification\$1 asme sender same (copy near2 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 16:04
S19	4	email same notification\$1 same (sender with (copy near2 message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 16:27
S20	1902463	agent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 09:09
S21	21025	e\$1mail.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:01

	· · · · · · · · · · · · · · · · · · ·	T - 12				T
S22	2988	(identit\$3 or identification\$1) near2 sender\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:02
S23	319	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/05 10:02
S24	206	((identit\$3 or identification\$1) near2 sender\$1) with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/05 10:02
S25	55	S21 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:41
S26	3	"9817042"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:23
S27	35	email same server\$1 same encrypt\$3 same hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:44
S29	14	email same server\$1 same generat\$3 same encrypt\$3 same hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:45
S30	21025	e\$1mail.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:09

			······································			
S31		server with (produc\$3 or generat\$3 or creat\$3) with hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:10
S32	1	(server with (produc\$3 or generat\$3 or creat\$3) with hash) same ((delet\$3 or destroy\$3) near2 message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:11
S33	11	(server with (produc\$3 or generat\$3 or creat\$3) with hash) same ((delet\$3 or destroy\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:26
S34	1	S30 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 16:12
S35	2	"20020091782".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/10/05 16:26
			IBM_TDB			
S36	0	"20020144154".pn. and (server near2 hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:15
S37	0	"20020144154".pn. and (server near2 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:15
S38	2	"20020144154".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:15

	· · · · · · · · · · · · · · · · · · ·	,				
S39	1	S38 and (server with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2005/10/05 17:16
S40	193	server with (encrypt\$3 near2 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 09:23
S41	184	server with (encrypt\$3 with hash\$3) with (generat\$3 or comput\$4 or creat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 09:24
S42	51	S41 and @ad<="20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:33
S43	342	indicat\$3 with (record\$3) with server with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:04
S44	21041	e\$1mail.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 11:35
S45	17	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/10/06 11:35
S46	1191	(indicat\$3 of flag\$1) with (record\$3 or stor\$3) with server with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:05

			•			• .
S47	849	S46 not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:05
S48	101	S44 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 12:05
S49	36	"0203178"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 16:41
S50	7	"200203178"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 11:59
S51	3457	709/206-207.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:58
S52	1400	726/3-4.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:59
S53	380	726/22.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:00
S54	1860	726/22-26.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:01

S55	146	380/285.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:01
S56	14548	(authenticat\$3 with message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:50
S57	2717	(authenticat\$3 with message\$1). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S58	857	S57 and (server\$1 with authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:54
S59	81	S57 and ((server\$1 with authenticat\$3) with encrypted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 12:55
S60	3947	email.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 10:35
S61	14	server\$1 with self with (authenticat\$3 or velidat\$3 or verif\$4) with message\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:17
S62	160	server\$1 with self with (authenticat\$3 or velidat\$3 or verif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/21 10:49

					_	
S63	0	S60 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 10:49
S64	44	S62 and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/21 10:52
S65	0	server\$1 with self with (authenticat\$3 or velidat\$3 or verif\$4) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 10:50
S66	5	(server\$1 with self with (authenticat\$3 or velidat\$3 or verif\$4)) same hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 10:50
S67	39	S64 not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 10:52
S68 ₋	35	S67 not S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/03/21 10:58
S69	0	S60 and (server\$1 with self with authenticat\$3 with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:00
S70	· 2	S60 and (server\$1 with authenticat\$3 with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÔFF	2006/03/21 11:00

674		CC0 and (-amounts with	Tue perus		055	2006/02/24 44 45
S71	,	S60 and (server\$1 with authenticat\$3 with hash\$3 with encrypted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:18
S72	3	S60 and (server\$1 same authenticat\$3 same hash\$3 same encrypted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:19
S73	250	S60 and (server\$1 same authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:19
S74	184	S60 and (server\$1 with authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:19
S75	2	S60 and (server\$1 with authenticat\$3 with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF 	2006/03/21 11:20